Stability Purity TorrLube Company

Safety Data Sheet

TorrLube PFPE Oils TLC 10 - 13 - 15

This Safety Data Sheet adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements of other countries.

Product Name	Torri uha@ PEP	TorrLube® PFPE Oils		
Product Grade Type		TLC 10 - 13 - 15		
MSDS Number				
		300001868		
Product Use		Vacuum Lubricant		
Manufacturer		company, LLC 3769 Constellation Rd., Suite F, Vandenberg Village, CA 93436		
SECTION 2. HAZARDS IDENTIFIC				
Emergency Overview		The product as such is not hazardous. Inhalation of decomposition products from overheating may cause lung irritation or shortness of breath.		
Potential Health Effects				
Perfluoropolyether	Skin	May cause skin irritation. May cause itching, discomfort, redness, and swelling.		
	Eyes	May cause eye irritation. May cause tearing, redness, discomfort.		
Carcinogenicity		None of the components present in this material at concentrations to or greater than 0.1% is listed by IARC, NTP, or OSHA, as a carcinogen.		
SECTION 3. COMPOSITION / INF	ORMATION ON INGRED	IENTS		
Component	CAS-No.	Concentration		
Perfluoropolyether		100%		
SECTION 4. FIRST AID MEASURI	ES			
Skin contact	Wash with soar	Wash with soap and water as a precaution		
Eye contact	Rinse with plen	Rinse with plenty of water. If eye irritation persists consult a specialist.		
Inhalation	Move to fresh a	Move to fresh air in case of accidental inhalation of fumes from overheating or combustion.		
Ingestion		Never give anything by mouth to an unconscious person. DO NOT induce vomiting unless directed to by a physician or poison control center.		
General Advice	When symptom	When symptoms persist or in all cases of doubt seek medical advice.		
SECTION 5. FIRE-FIGHTING MEA	SURES			
Flammable Properties				
Flashpoint	Method: Pensky	Method: Pensky-Martens closed cup – PMCC. Does not flash.		
Thermal Decomposition	ca. 350 C (662	ca. 350 C (662 F)		
Fire and Explosion Hazard	In fire condition	In fire conditions, toxic decomposition products may be formed.		
Suitable Extinguishing Media	Wear self-conta	Wear self-contained breathing apparatus. Wear suitable protective equipment. Standard procedure for chemical fires.		
SECTION 6. ACCIDENTAL RELEA	SE MEASURES			
NOTE: Review FIREFIGHTING ME PROTECTIVE EQUIPMENT during		G (PERSONNEL) sections before proceeding with clean up. Use appropriate PERSONAL		
Spill Cleanup	Soak up with in	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).		
Accidental Release Measures	Prevent materia	Prevent material from entering sewers, waterways, or low areas.		

Phone: 805.733.1476 Email: sales@torrlube.com

SECTION 7. HANDLING AND STORAGE				
Handling	Avoid breathing vapors from overheated material. Practice general industrial hygiene practice.			
Storage	No special storage conditions required. Keep container closed to prevent contamination. No decomposition if stored and applied as directed.			
SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION				
Engineering Controls	If the polymer is heated above 350° C (662° F), local ventilation should be used to avoid fumes.			
Personal Protective Equipment				
Respiratory Protection	No personal respiratory protective equipment normally required. In the case of hazardous fumes caused by overheating, wear self-contained breathing apparatus.			
Hand Protection	No particular glove type is recommended, but nitrile may be used.			
Eye Protection	Safety glasses			
Skin and Body Protection	No PFPE is specified however; avoid contact with skin, eyes, and clothing. Preventive skin protection.			
Exposure Guidelines/Limit Values	None Established			
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES				
Form	viscous, liquid			
Color	colorless			
рН	neutral			
Pour Point	-55°— 15° C (-67° — 59° F)			
Specific Gravity	ca. 1.86 – 1.91 at 24° C (75° F)			
Water Solubility	insoluble			
SECTION 10. STABILITY AND REACTIVE	TY			
Stability	Stable under recommended storage conditions.			
Conditions to Avoid	Decomposition temperatures of 350° C (662° F)			
Hazardous Decomposition	Products	Fluorinated compounds		
SECTION 11. TOXILOGICAL INFORMATI	ON: Perfluoropolyether			
Dermal ALD	ca. > 17,000 mg/kg, rabbit			
Oral LD50	> 37,400 mg/kg, rat			
Inhalation 4 h ALC	ca. > 19.54 mg/l, rat			
Eye irritation	Slight irritation, rabbit			
Skin Sensitization	Patch test on human volunteers did not demonstrate sensitization properties.			
Mutagenicity	Did not cause genetic damage in cultured bacterial cells.			
Further information	The substance is a polymer and is not expected to produce toxic effects.			
SECTION 12. ECOLOGICAL INFORMATION	ON: Perfluoropolyether			
Aquatic Toxicity	96 h LC50	Oncorhynchus mykiss (rainbow trout) > 1, 000 mg/l		
	48 h EC50	Daphnia magna (Water flea) > 1, 000 mg/l		
SECTION 13. DISPOSAL CONSIDERATION	DNS			
Waste Disposal	In accordance with local and national regulations.			
Environmental Hazards	Dispose of container properly. If recycling is not practicable, dispose of in compliance with regulations.			
SECTION 14. TRANSPORT INFORMATIO	N			
Not classified as dangerous in the meaning of transport regulations.				
SECTION 15. REGULATORY INFORMATION				
TSCA Status	On the inventory, or in compliance with the inventory			
Contact Person	SDS coordinator, TorrLube® Products, Vandenberg Village, CA 93436 Phone: 805.733.1476			

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

TorrLube® is a registered trademark of the TorrLube Company, LLC. © 2015 All rights reserved.

Phone: 805.733.1476 Email: sales@torrlube.com